

High Temperature Alarm ABS Sensor Liquid Soap Dispense For Hotel

Basic Information

Place of Origin: china
Brand Name: OEM
Model Number: SP-250
Minimum Order Quantity: 100

Price: \$5-6 / Piece
Packaging Details: 付款方式
Delivery Time: 供能力
Payment Terms: 期限
Supply Ability: 常包装



Product Specification

Material: Plastic,Metal,ABS
Color: White,black
Certification: CE ROHS
Size: 116x72x185mm

• Design Style: Modern

Application: Hotel,Bathroom,MallAlarm Type: Flashing+bleeping "DIDIDI"

Button: Touch Button
Item Weight: 14.4 Ounces
Sensing Distance: 4~6cm Sensor

Product Description

High Temperature Alarm ABS Sensor Liquid Soap Dispense For Hotel

Overview

Quick Details

u.	adion betails					
re	touchless, automatic induction, waterproof					
Ma teri al	Plastic,Metal,ABS					
y y	350ML					
De sig n Sty le	modern					
siz e	116x72x185mm					
Ce rtifi cat ion	CE ROHS					
Ap pli cat ion	Hotel,Bathroom,Mall					
Ala rm Ty pe	Flashing+bleeping "DIDIDI"					
col or	white,black					
Bu tto n	Touch Button					
У	4*AA Battery (not Included)					
ns er Ty pe						
ion						
Ind uct ive ap pro ac h	Infrared induction Sensor					

NA /	
W	
het	
her mo	
ist	
ure	
-	
pro	
of	yes
an	
d	
mil	
de	
w	
pro	
of	
Ite	
m	
	14.4 ounces
eig	
ht	
wa	
ter	Able to withstand water mist, steam and water droplets
pro	
of Se	
nsi	
lna l	
dis	4~6cm sensor
tan	
ce	
ро	
	rechargeable
r	
log	Constructional Large Assess
0	Customized Logo Accept

Product description

Model NO.	SP-250		
Product Name	Automatic Soap Dispenser		
Accuracy	1+/-0.2 (34-45)		
Alarm Type	Flashing+bleeping "DIDIDI"		
Measuring Distance	5cm~10cm		
LED Display	Number		
Alarm Temperature	Adjustable		
Bottle Capacity	450ml		
Mounting Type	Place on the desktop, wall-hanging, Tripod-fixed		
Working Temperature	10 ~40 (15 ~35 Recommend)		
Measuring Range	0~50		
Dimension	119C×133×280mm		
Net Weight	952g		
Power Supply	USB rechargeable		
Product Power	5W		
Liquid Type	Rechargeable		
Custom Logo	Yes		
Shipping way	Send by air, by sea, by express(DHL, FEDEX)		
	- I		

OEM Service

-OEM and ODM (Private Labeling Service) are always welcome.

We offer full customization to suit your brand, whether it's shape, size, color, dimension, performance or price. We can ensure you a short production time in good quality like 10 days.

-Small MOQ:

We'd like to provide small moq for you to test market demand. Package based on 500pcs;

-Private Mold:

If our exit model cannot meet your needs, our R&D department will develop mold for your ideal product;

-Professional Manufacturer:

Over 16 years experience manufacturer in scuba diving products, we cooperate with more then 300 OEM customers in USA, UK, AU, CA etc.

Company Profile

_		_	
Busi nes s Typ e	Manufacturer, Trading Company	Co unt ry / Re gio n	Guangdong, China
Mai n Pro duct s	Flosser, Air Purifiers, Beauty	Ow ner shi p	Private Owner
Tot al Em ploy ees	51 - 100 People	Tot al An nua I Re ven ue	confidential
Yea r Est abli she d	2014	Cer tific atio ns	-
ifica tion	RoHS, CE, CE, RoHS, CE, FCC, CE, FCC, RoHS, CE, FCC, CE, FCC,	Pat ent s(2 2)	bushuiyi, tuomaoyi, xiumeidao, xiumeidao, tuomaoyi, bushuiyi, zhifashu, zhenglianyi, zhenglianyi, zaoyeqi, zaoyeqi, zhifashu, jinghuaqi bap-01, jinghuaqi bap-01, jinghuaqi bap-02, jinghuaqi bap-02, jinghuaqi bap-03, jinghuaqi bap-03, chezaijinghuaq bcap-02, jinghuaqi bcap-02, jinghuaqi bcap-04,
dem arks	DRRECSI, MALFITION, DRRECSI, BEIMU, DRRECSI, BEIMU, BEIMU, DRRECSI, DRRECSI, DRRECSI	Ма	North America 40.00% Southeast Asia 10.00% Domestic Market 6.00%



Assembling Assembling



Aging Aging



Testing Testing



Packaging Packaging



Technical Data

Accuracy	1+/-0.2°C (34~42°C)				
Alarm type	Flashing + bleeping "DIDIDI "	Power supply	USB 5V 2A or 2*18650 Li-ion battery		
Measuring distance	5cm	Product power	5W		
LED display	Number	Liquid type	Liquid hand sanitizer, liquid disinfectant		
Alarm temperature	Adjustable	Advantages			
Bottle Capacity	450mL	Advantages			
Mounting Type	Place on the desktop, Tripod-fixed	Intelligent circuit protection, the motherboard will not burn the motherboard if the battery is installed reversely			
Working Temperature	10°C~40°C (15°C~35°C Recommended)	Large digital display, high-definition display			
Measuring range	0~50°C	Smart photosensitive thermometer, no need to hold, it can be fixed with wall mount or tripod			
Standby time	5s for non-working, dynamic loop with white dot	Magnetic front cover, easy and convenient to change materials			
Dimension	208x115x86mm	Available in twelve languages: Chinese/English/Korean/Portuguese Spanish/Japanese/Italian/German/French/Russian/Netherlands/Arabia			
Net weight	800g	Up-drawing catheter, never leaking, never clogging			

Non-contact Automatic Temperature Measurement





Ellawig companys



+86-15399918960



service@ellawigss.com



@ ladyshairextensions.com

Room 501, unit 6, building 20, North Lane, east flower market, Beijing